Holiday Inn Glasgow - East Kilbride | DisabledGo Holiday Inn Glasgow - East Kilbride





View the Access Guide

Stewartfield Way, East Kilbride G74 5LA

01355 236 300

www.ihg.com/holidayinn/hotels/gb/en/east-kilbride/ekbuk/hoteldetail (https://www.ihg.com/holidayinn/hotels/gb/en/east-kilbride/ekbuk/hoteldetail) Guide Last Updated: 13/02/2018

Something changed? (/contact/something_changed?destination=/access-guide/kew-green/holiday-inn-glasgow-east-kilbride)



Google

(https://maps.google.com/maps?ll=55.772316,4.226584&z=14&t=m&hl=en-US&gl=US&mapclient=apiv3)

Access Guide



Expand all Collapse all

Map data ©2018 Google

| Hotel Introduction | Collapse - |
|---|------------|
| Related Access Guide(s) | Collapse - |
| For the Holiday Inn Glasgow - East Kilbride - Conference and Banqueting Suite DisabledGo access guide please click here (ne (https://www.disabledgo.com/access-guide/kew-green/holiday-inn-glasgow-east-kilbride-conference-and-banqueting-suite) For the Holiday Inn Glasgow - East Kilbride - Leisure Facilities DisabledGo access guide please click here (new tab) (https://www.disabledgo.com/access-guide/kew-green/holiday-inn-glasgow-east-kilbride-leisure-facilities). | |
| Hotel Information | Collapse - |
| The hotel has its own parking facilities.This hotel has its own restaurant located on the ground floor. | |
| Room Information | Collapse - |
| The hotel has 101 rooms in total. | |

- There is an/are accessible room(s) within the hotel.
- The accessible room(s) is/are located on the ground floor.
- The hotel has 2 accessible room(s) with accessible ensuite facilities.
- There is/are 2 accessible room(s) with a wet room/wheel in shower.
- There is an/are adjoining room(s) available for the accessible room(s).
- The accessible rooms are 100m 101m from the hotel entrance.
- There is a/are standard room(s) available on the ground floor.
- There is not an/are not adjoining room(s) available for the standard room(s).
- Rooms on other floors are accessed via stairs or lift.

Auxiliary Aids

Collapse -

- Vibrating pillows with flashing beacons are available on request.
- Bed raisers are not available on request.
- All televisions have subtitles available.

Getting Here

Collapse -

By Road

Collapse -

Collapse -

Collapse -

Collapse -

- The hotel is located south of Glasgow on the outskirts of East Kilbride. It is sited off the A726 Queensway/Redwood Drive near the roundabout junction with South Road and Stewartfield Way.
- This hotel has a car park which is free for all users. Car registration numbers must be logged at the hotel reception or leisure facilities reception.

By Bus

- There is a bus stop within 150 metres of the venue.
- The nearest bus stops are on South Road (southbound Slip 100m, northbound slip 240m) and Stewartfield Way (240m).
- For more information on First Greater Glasgow please click here (opens new tab) (https://www.firstgroup.com).

By Train

- The nearest Railway Station is Hairmyres.
- Hairmyres Station is on the Glasgow South Western Line and is approximately 1.8 miles for the hotel. There are bus and taxi routes to the hotel.
- · For more information on National Rail please click here (opens new tab) (http://www.nationalrail.co.uk/stations/HMY/details.html).

Getting Help and Assistance

- There is a member of staff available for help and assistance.
- Staff receive disability awareness/equality training.
- Staff do not receive deaf awareness training.
- There is not a member of staff trained in British Sign Language.
- British Sign Language interpreters cannot be provided on request.
- The alternative formats documents can be provided in include; large print on request.
- There is an assistance dog toilet or toileting area at the venue/near by.
- The assistance dog toilet or toileting area is located on the grass areas at the rear of the hotel.
- Water bowls for assistance dogs are available.
- There are not mobility aids available.

Parking

Collapse -

Collapse -

Parking

- The hotel does have its own parking facilities.
- The car park is located at the rear of the hotel.
- The car park type is open air/surface.
- The car park does have a height restriction barrier.
- The maximum height of the restriction barrier is 365cm (11ft 12in).
- The car park does not have a barrier control system.
- The car park surface is tarmac.
- There is a/are Blue Badge parking bay(s) available.
- The Blue Badge bay(s) is/are signposted and have markings which are faded.
- There is/are 2 designated Blue Badge parking bay(s) within the car park.
- The dimensions of the designated Blue Badge parking bay(s) surveyed are 419cm x 500cm (13ft 9in x 16ft 5in).
- There is not a 120cm hatched zone around the Blue Badge parking bay(s).
- Parking spaces for Blue Badge holders do not need to be booked in advance.
- There is an overflow car park for staff and visitors.
- There is additional parking on three sides of the hotel and an overflow car park to the right as you enter the hotel car park from the roundabout.

Paying

• There are not parking charges for the car park.

Access from the Car Park

Collapse -

Collapse -

- The route from the car park to the entrance is accessible to a wheelchair user with assistance.
- Assistance may be required because there is/are uneven surfaces.
- The entrance is clearly visible from the car park.
- The surface on the approach to the entrance is tarmac and concrete tiles.
- There is a road to cross between the car park and the entrance.
- There is no tactile paving on dropped kerbs between the car park and the entrance.
- The nearest designated Blue Badge parking bay is approximately 35m (38yd 10in) from the hotel entrance.

Drop-off Point(s)

• There is not a/are not clearly marked drop-off point(s).

Comments

Collapse -

Collapse -

• Visitors must register their cars at reception for free parking. Failure to do so may end in a fine.





Outside Access (Hotel Entrance)

Entrance

- This information is for the entrance located at the front of the hotel.
- The entrance area/door is clearly signed.
- There is ramped/sloped access at this entrance.
- There is a canopy or recess which provides weather protection at this entrance.
- The entrance door(s) does/do contrast visually with its immediate surroundings.
- The main door(s) open(s) automatically (towards you).
- The main automatic door(s) is/are push pad or push button activated.
- The push pad or push button is 90cm from floor level.
- The door(s) is/are single width.
- The width of the door opening is 75cm.

Ramp/Slope

- The ramp/slope is located in front of the entrance.
- The gradient of the ramp/slope is steep.

Comments

- There is a revolving door to the right of the automatic door.
- The clear opening width is 129cm.



Collapse -

Collapse -

Collapse -

- This information is for the entrance located at the front of the hotel, to the left of the hotel entrance.
- The entrance area/door is clearly signed.
- There is ramped/sloped and stepped access at this entrance.
- There is a canopy or recess which provides weather protection at this entrance.
- The entrance door(s) does not/do not contrast visually with its immediate surroundings.
- The main door(s) open(s) both ways.
- The door(s) is/are single width.
- The door(s) is/are heavy.
- The width of the door opening is 81cm.
- There is a small lip on the threshold of the entrance, with a height of 2cm or below.
- There is a second set of doors.
- The door(s) open(s) both ways.
- The door(s) is/are single width.
- The door(s) is/are heavy.
- The width of the door opening is 81cm.
- There is a small lip on the threshold of the entrance, with a height of 2cm or below.

Ramp/Slope


• The ramp/slope is located in front of the entrance.

• The gradient of the ramp/slope is slight.

Step(s)

- The step(s) is/are located to the left after the entrance doors.
- There is/are 3 step(s).
- The step(s) is/are clearly marked.
- The height of the step(s) is/are between 15cm and 18cm.
- The height of the step(s) is/are 15cm.
- The going of the step(s) is/are not between 30cm and 45cm.
- There is a/are handrail(s) at the step(s).
- The handrail(s) is/are on the left going up.
- Handrails are not at the recommended height (90cm-100cm).
- Handrails do cover the flight of stairs throughout its length.
- Handrails are easy to grip.
- Handrails do not extend horizontally beyond the first and last steps.
- The lighting levels at the step(s) are good.







3





Collapse -

Outside Access (Conference and Banqueting Suite External Entrance)

Entrance

- This information is for the entrance located at the rear of the hotel.
- The entrance area/door is clearly signed.
- There is ramped/sloped access at this entrance.
- There is a canopy or recess which provides weather protection at this entrance.
- There is a dark mat or floor marking at this entrance that might be perceived as a hole.
- The entrance door(s) does not/do not contrast visually with its immediate surroundings.
- The main door(s) open(s) towards you (pull).
- The door(s) is/are double width.
- The door(s) is/are heavy.
- The width of the door opening is 156cm.
- There is a small lip on the threshold of the entrance, with a height of 2cm or below.

Ramp/Slope

Entrance

- The ramp/slope is located in front of the entrance.
- The gradient of the ramp/slope is slight.



Entrance (Conference and Banqueting Suite Internal Entrance)

| This information is for the entrance located to the rear of the hotel entrance lobby. |
|---|
| The entrance area/door is not clearly signed. |
| There is step-free access at this entrance. |
| The entrance door(s) does not/do not contrast visually with its immediate surroundings. |
| The main door(s) open(s) towards you (pull). |
| • The door(s) is/are double width. |

- The door(s) is/are heavy.
- The width of the door opening is 136cm.
- There is a second set of doors.
- The door(s) open(s) towards you (pull).
- The door(s) is/are double width.
- The door(s) is/are heavy.
- The width of the door opening is 136cm.

Collapse -

Collapse -

Collapse -









4

Collapse -

Collapse -

Collapse -

Reception

Reception

- The reception point is located to the left as you enter the hotel entrance.
- The reception point is approximately 6m (6yd 1ft) from the hotel entrance.
- The reception area/desk is clearly visible from the entrance.
- There is step-free access to the reception point.
- There is a clear unobstructed route to the reception point.
- There are no windows, TVs, glazed screens or mirrors behind the reception point which could adversely affect the ability of someone to lip read.
- The reception counter is not placed in front of a background which is patterned.
- The lighting levels at the reception point are good.
- The height of the reception counter is high (110cm+).
- There is sufficient space to write or sign documents on the counter.
- There is not a lowered section of the counter.
- The counter is staffed.
- The bell is not at a suitable height for a wheelchair user.
- Clipboards can be provided to anyone who is unable to use the desk.
- There is not a hearing assistance system at the reception point.
- Signs and universally accepted symbols or pictograms, indicating lifts, stairs, WCs, circulation routes and other parts of the building are not provided in the reception area.
- The type of flooring in the reception area is carpet and laminate.

Reception Waiting Area

• There is a waiting area close to the reception point.

- Access to the waiting area is unobstructed.
- There are seats with armrests on both sides.
- There is sufficient space for a wheelchair user to use the waiting area.









3





Getting Around

| Cess | | | | Collapse |
|--|----------------------------------|-------------------------------------|-------------------|---------------------------------|
| There is step-free access through | ut the majority of the building. | | | |
| There is/are 8 clearly marked step | | | | |
| • The height of the step(s) is/are bet | | | | |
| • The going of the step(s) is/are not l | | | | |
| • These steps are on the first floor, in | | | ve access to roc | oms 110-136.The steps are shown |
| in photographs 3 and 4. | | | | |
| There is/are 9 clearly marked step | s), with handrails on both side | s, for access to Rooms 210-236 | þ. | |
| • The height of the step(s) is/are bet | | | | |
| • The going of the step(s) is/are not l | | | | |
| These steps are on the second floor | | | os give access to | rooms 210-236 The steps are |
| shown in photographs 5 and 6. | | file us you exit the title the step | s give access to | |
| | | | | |
| rculation | | | | Collapse |
| There are doors in corridors/walkw | ays which have to be opened | manually. | | |
| • The type of flooring in corridors/wa | lkways is carpet. | | | |
| • There is some flooring in corridors/ | walkways which includes patt | erns or colours which could be | confusing or lo | ok like steps or holes to some |
| people. | | | | |
| • There is good colour contrast betw | een the walls and floor in all a | reas. | | |
| • There is a mixture of seating with a | nd without armrests at regula | r intervals. | | |
| The lighting levels are good. | | | | |
| Access to other floors/levels is via | stairs and lift. | | | |
| gnage | | | | Collapse |
| Wayfinding signage is provided. | | | | |
| • The colour, design and typeface of | signs is consistent throughout | the building. | | |
| Jdio | | | | Collapse |
| This venue does play background r | nusic in nublic areas | | | |
| Music is played in the entrance lob | | | | |
| There is not a hearing assistance stranger | | e buildina. | | |
| | | e bonaing. | | |
| | 2 | 3 | | 4 |
| | | BEDROOM | | |

7

https://www.disabledgo.com/access-guide/kew-green/holiday-inn-glasgow-east-kilbride

6

5

8

Eating and Drinking (Bar)

- The following information is for the bar.
- The bar is located on the ground floor, to the left as you enter the hotel entrance.
- There is step-free access to the bar.
- Full table service is not available.
- Food and/or drinks are ordered from the service counter.
- Food and/or drinks can be brought to the table.
- The height of the service counter is medium height (77cm 109cm).
- There is a lowered section of the counter.
- The lowered section of the counter is at the recommended height of 76cm.
- There is not a clear knee recess beneath the lowered section of the counter.
- There is not a hearing assistance system.
- There is step-free access within the bar.
- There is ample room for a wheelchair user to manoeuvre.
- This area does play background music.
- The type of flooring in this area is carpet and laminate.
- No tables are permanently fixed.
- No chairs are permanently fixed.
- Some chairs have armrests on both sides.
- The nearest table is approximately 1m from the entrance/opening.
- The nearest table is approximately 10m from the till/counter.
- The distance between the floor and the lowest table is 48cm.
- The distance between the floor and the highest table is 102cm.
- Plastic/takeaway cups are available.
- Plastic/takeaway cutlery is available.
- Drinking straws are available.
- There are hand held menus available.
- Menus are not available in Braille.
- Menus are not available in large print.
- Picture menus are not available.
- Menus are clearly written.
- Menus are presented in contrasting colours.
- The type of food served here is modern European, steak and grill.
- The lighting levels are varied.



6

Eating and Drinking (Restaurant)

5

Collapse -

• The following information is for the restaurant.

3/28/2018

Holiday Inn Glasgow - East Kilbride | DisabledGo

- The restaurant is located on the ground floor, to the left through the bar as you enter the hotel entrance.
- There is step-free access to the restaurant.
- Full table service is available.
- Food and/or drinks can be ordered from the service counter.
- There is not a hearing assistance system.
- There is step-free access within the restaurant.
- There is ample room for a wheelchair user to manoeuvre.
- This area does play background music.
- The type of flooring in this area is tiles and laminate.
- No tables are permanently fixed.
- No chairs are permanently fixed.
- Some chairs have armrests on both sides.
- The nearest table is approximately 1m from the entrance/opening.
- The nearest table is approximately 5m from the till/counter.
- The standard height for tables is 72cm.
- Plastic/takeaway cups are available.
- Plastic/takeaway cutlery is available.
- Drinking straws are available.
- There are hand held menus available.
- Menus are not available in Braille.
- Menus are not available in large print.
- Picture menus are not available.
- Menus are clearly written.
- Menus are presented in contrasting colours.
- The type of food served here is modern European, steak and grill.
- The lighting levels are adjustable.









Accessible Room(s) (Rooms 41 and 43)

Accessible Room Information

- The details in this section relates to the accessible room(s) with a wet room/wheel in shower.
- This type of accessible room is located on the ground floor, to the right as you enter the hotel entrance.
- There is step-free access to this type of accessible room.
- All accessible rooms of this type have similar specifications.
- The ensuite transfer space for the accessible rooms varies from left to right.
- Guests need to open a door between the entrance and the room(s).
- The narrowest width of the corridor leading to the room surveyed was 97cm.

Bedroom Features

Collapse -

- The accessible room surveyed is located on the ground floor, in the main corridor to the right of reception.
- The accessible room surveyed at the time of the visit was Room 43.
- There is step-free access to the accessible room surveyed.
- There is numbered signage on or near the accessible room door.
- The door is manual with a key card lock.
- The fob/card reader height is 107cm.
- The width of the door is 86cm (2ft 10in).
- There are lowered spy holes available.
- The bed type is double.
- The bed height is not adjustable.
- The height of the bed is 56cm (1ft 10in).
- The measurement between the bed base and floor is 14cm (6in).
- The bed is moveable.
- The room does have an unobstructed minimum turning space of 150cm x 150cm next to the bed.
- The height of the desk is 72cm.
- The desk is not height adjustable.
- The desk knee recess has the recommended dimensions of 70cm (height) x 50cm (depth).
- The room surveyed had a height adjustable chair with armrests and an armchair.
- Wardrobes have not been adapted to allow use from a seated position.
- Light switches are between 75cm and 120cm (4ft) from floor level.
- Electric sockets are between 40cm and 100cm (4ft) from floor level.
- The window control type(s) for the room is a/are standard lever(s).
- There is an emergency alarm in the room.
- The emergency pull cord alarm is out of reach (higher than 10cm (4") from floor).
- There is a flashing fire alarm beacon within the room.
- The type of flooring is carpet.
- The room has a pull cord and push button alarm.

Ensuite Facilities

- The ensuite door opens outwards.
- The door weight is heavy.
- The door has no lock.
- The width of the door to the ensuite is 86cm (2ft 10in).
- The dimensions of the ensuite are 232cm x 213cm (7ft 7in x 6ft 12in).
- The ensuite does have an unobstructed minimum turning space of 150cm x 150cm in front of the toilet seat.
- The ensuite has a non-slip floor.
- There is an emergency alarm within the ensuite.
- The emergency pull cord alarm is out of reach (higher than 10cm (4") from floor).
- There is not a flashing fire alarm beacon within the ensuite.
- Disposal facilities are available.
- There is a/are pedal waste paper bin disposal units.
- There is a mirror.
- The mirror is not placed at a lower level or at an angle for ease of use.
- There is a shelf immediately next to or behind the toilet.
- The shelf is between 90cm and 100cm.
- There is a wash basin.
- The wash basin can be reached from seated on the toilet.
- The wash basin is placed higher than 74cm (2ft 5in).
- The height of the wash basin is 75cm.
- There are vertical wall-mounted grab rails on both sides of the wash basin.
- The tap type is lever.
- There is a mixer tap.

• There is not a soap dispenser.

Toilet Details

- The height of the toilet seat above floor level is 48cm (1ft 7in).
- The toilet has a covered cistern.
- There is a lateral transfer space.
- As you face the toilet pan the transfer space is on the right.
- The lateral transfer space is 154cm (5ft 1in).
- There is a flush on the transfer side.
- There is a spatula type lever flush.
- There is a dropdown rail, however it is not on the transfer side.
- There is a/are wall-mounted grab rail(s) available.
- As you face the toilet, the wall mounted grab rails are on the left.
- There is not a vertical wall-mounted grab rail on the transfer side.
- There is a horizontal wall-mounted grab rail on the opposite side of the seat to the transfer space.
- There is a toilet roll holder.
- The toilet roll holder can be reached from seated on the toilet.
- The toilet roll holder is not placed higher than 100cm (3ft 3in).

Shower Details

- The ensuite has a wheel in shower.
- The shower head is height adjustable.
- The shower control type is lever.
- There is no seat for the shower.
- There is a/are wall-mounted grab rail(s) available for the shower.
- There are not horizontal and/or dropdown rails available on both sides of the shower seat.
- There is a single vertical grab rail to assist standing users.

Colour Contrast and Lighting

- The colour contrast between the external hotel room door and wall is good.
- The colour contrast between the internal hotel room door and wall is good.
- The colour contrast between the hotel room walls and floor is good.
- The colour contrast between the external ensuite door and wall is good.
- The colour contrast between the internal ensuite door and wall is good.
- The colour contrast between the ensuite walls and floor is good.
- The colour contrast between the drop down rail(s) and wall is good.
- The colour contrast between the wall-mounted grab rail(s) and wall is good.
- The colour contrast between the wall-mounted grab rails to the left of the toilet and wall is good.
- The contrast between the wash basin wall-mounted grab rail(s) and wall is good.
- The colour contrast between the shower wall-mounted grab rails and wall is good.
- The toilet seat colour contrast is poor.
- The lighting levels in the room are low.
- The lighting levels in the ensuite are good.



Collapse -

Collapse -



Other Floors (Lobby)

Stairs

- Stairs can be used to access other floors.
- The stairs are for public use.
- The stairs are located in the main entrance lobby, opposite reception.
- The stairs are approximately 6m from the hotel entrance.
- The stairs are clearly visible from the entrance.
- There are manual, heavy, double doors to exit the stairwell on the first floor.
- The floors which are accessible by stairs are G and 1.
- There are 15+ steps between floors.
- The height of the step(s) is/are between the recommended 15cm and 18cm.
- The going of the step(s) is/are not between the recommended 30cm and 45cm.
- The steps are clearly marked.
- There is a/are handrail(s) at the step(s).
- The steps have a handrail on both sides.
- Handrails are at the recommended height (90cm-100cm).
- Handrails do not cover the flight of stairs throughout its length.
- Handrails are easy to grip.
- Handrails do not extend horizontally beyond the first and last steps.
- There is a landing.
- Clear signs indicating the facilities on each floor are provided on landings.
- The lighting levels at the steps are good.



Other Floors (Centre)




2



Collapse -

Collapse -



- The height of the step(s) is/are between the recommended 15cm and 18cm.
- The going of the step(s) is/are not between the recommended 30cm and 45cm.
- The steps are not clearly marked.
- There is a/are handrail(s) at the step(s).
- The steps have a handrail on the right going up.
- Handrails are at the recommended height (90cm-100cm).
- Handrails do cover the flight of stairs throughout its length.
- Handrails are easy to grip.
- Handrails do extend horizontally beyond the first and last steps.
- There is a landing.
- Clear signs indicating the facilities on each floor are not provided on landings.
- The lighting levels at the steps are good.

Other Information

Collapse -

Collapse -

Collapse -


• The room(s) on the floors which are not accessible is/are Rooms 110-136, 210-236 and leisure facilities via the access bridge.



Other Floors (West - First Floor)

Stairs

- Stairs can be used to access other floors.
- The stairs are for public use.
- The stairs are located on the first floor, above the entrance lobby.
- The stairs are approximately 20m from the lift.
- Signs indicating the location of the stairs are not available from the entrance.
- There are heavy doors to enter the stairway on first, second and third floors. These are double doors on the first and third floors and a single door on the second floor.
- The floors which are accessible by stairs are 1, 2 and 3.
- There are 15+ steps between floors.
- The height of the step(s) is/are between the recommended 15cm and 18cm.
- The going of the step(s) is/are not between the recommended 30cm and 45cm.
- The steps are clearly marked.
- There is a/are handrail(s) at the step(s).
- The steps have a handrail on the left going up.
- Handrails are at the recommended height (90cm-100cm).
- Handrails do cover the flight of stairs throughout its length.
- Handrails are easy to grip.
- Handrails do extend horizontally beyond the first and last steps.
- There is a landing.
- Clear signs indicating the facilities on each floor are not provided on landings.
- The lighting levels at the steps are good.



Lift

• There is a lift for public use.

- The lift is located to the rear right of the entrance lobby.
- Signs indicating the location of the lift are not available from the entrance.
- The lift is approximately 15m (16yd 1ft) from the hotel entrance.
- The lift is a standard lift.
- A member of staff does not need to be notified for use of the lift.
- The floors which are accessible by this lift are G, 1, 2 and 3.
- Clear signs indicating the facilities on each floor are provided on lift lobby landings.
- There is a clear level manoeuvring space of 150cm × 150cm in front of the lift.
- Lift doors do contrast visually with lift lobby walls.
- The external controls for the lift are not within 90cm 110cm from the floor.
- The colour contrast between the external lift controls and the control plate is good.
- The colour contrast between the external lift control plate and the wall is good.
- The clear door width is 80cm (2ft 7in).
- The dimensions of the lift are 110cm x 136cm (3ft 7in x 4ft 6in).
- There are no separate entry and exit doors in the lift.
- There is not a mirror to aid reversing out of the lift.
- There is a list of floor services available within the lift.
- The lift does have a visual floor indicator.
- The lift does have an audible announcer.
- The controls for the lift are not within 90cm 120cm from the floor.
- There is not a hearing loop system.
- The lift does not have Braille markings.
- The lift does have tactile markings.
- The lighting levels in the lift are good.
- There is a/are similar lift(s) available.







Standard Room(s) (Executive Room 104)

Bedroom Features

Collapse -

Collapse -

- The room surveyed is located on the first floor, to the left as you exit the lift.
- The room surveyed at the time of the visit was Room 104.
- There is step-free access to the room surveyed, via lift.
- There is numbered signage on or near the room door.
- The width of the door is 75cm (2ft 6in).

- The bed type is double.
- The height of the bed is 55cm (1ft 10in).
- The measurement between the bed base and floor is 14cm (6in).
- Light switches are not within 120cm (3ft 11in) from floor level.
- There is not an emergency alarm in the room.
- There is not a flashing fire alarm beacon within the room.
- The type of facilities within the ensuite include; a toilet, a wash basin, a bath and a shower.
- The ensuite door opens inwards.
- The width of the door to the ensuite is 67cm (2ft 2in).
- There is not an emergency alarm within the ensuite.
- There is not a flashing fire alarm beacon within the ensuite.
- The tap type is lever.
- There is a mixer tap.

Colour Contrast and Lighting

• The colour contrast between the external hotel room door and wall is fair.

- The colour contrast between the internal hotel room door and wall is fair.
- The colour contrast between the hotel room walls and floor is good.
- The colour contrast between the external ensuite door and wall is fair.
- The colour contrast between the internal ensuite door and wall is poor.
- The colour contrast between the walls and floor in the ensuite is fair.
- The lighting levels in the room are low.
- The lighting levels in the ensuite are good.

Comments

Collapse -

Collapse -

• There is a deep step to access the shower.



Standard Room(s) (Room 225)

Bedroom Features

Collapse -

- The room surveyed is located on the second floor, to the right as you exit the lift.
- The room surveyed at the time of the visit was Room 225.
- There is numbered signage on or near the room door.
- The width of the door is 86cm (2ft 10in).
- The bed type is double.

- The height of the bed is 56cm (1ft 10in).
- The measurement between the bed base and floor is 14cm (6in).
- Light switches are not within 120cm (3ft 11in) from floor level.
- There is not an emergency alarm in the room.
- There is not a flashing fire alarm beacon within the room.
- The type of facilities within the ensuite include; a toilet, a wash basin and a shower.
- The ensuite door opens inwards.
- The width of the door to the ensuite is 75cm (2ft 6in).
- There is not an emergency alarm within the ensuite.
- There is not a flashing fire alarm beacon within the ensuite.
- The tap type is lever.
- There is a mixer tap.

Colour Contrast and Lighting


- The colour contrast between the external hotel room door and wall is good.
- The colour contrast between the internal hotel room door and wall is good.
- The colour contrast between the hotel room walls and floor is good.
- The colour contrast between the external ensuite door and wall is fair.
- The colour contrast between the internal ensuite door and wall is poor.
- The colour contrast between the walls and floor in the ensuite is good.
- The lighting levels in the room are low.
- The lighting levels in the ensuite are good.

Comments

Collapse -

Collapse -

• There is a deep step to access the shower.





5







 Accessible Toilet(s) (Male)
 Collapse

 • There is an/are accessible toilet(s) for public use.
 Collapse

 Location and Access
 Collapse

 • The accessible toilet surveyed is not for the sole use of disabled people.
 This accessible toilet is located in the standard male toilets.

 • This accessible toilet is approximately 20m (2lyd 2ft) from the hotel entrance.
 There is step-free access to the accessible toilet.

| B Holiday Inn Gla | sgow - East Kilbride DisabledGo | |
|--|-----------------------------------|-----------|
| Features and Dimensions | Cc | ollapse - |
| • This is not a shared toilet. | | |
| There are separate female and male toilets in the standard toilets | | |
| A key is not required for the accessible toilet. | | |
| There is tactile and pictorial signage on or near the toilet door. | | |
| • The door opens outwards. | | |
| • The door is heavy. | | |
| • The door is locked by a lever twist. | | |
| • The width of the accessible toilet door is 85cm (2ft 9in). | | |
| • The dimensions of the accessible toilet are 148cm x 196cm (4ft 10in | x 6ft 5in). | |
| • The accessible toilet does not have an unobstructed minimum turn | ning space of 150cm x 150cm. | |
| The toilet has not got a non-slip floor. | | |
| There is a lateral transfer space. | | |
| • As you face the toilet pan the transfer space is on the left. | | |
| • The lateral transfer space is 66cm (2ft 2in). | | |
| • There is a flush, however it is not on the transfer side. | | |
| • There is not a spatula type lever flush. | | |
| • There is a dropdown rail on the transfer side. | | |
| There is an emergency alarm. | | |
| • The emergency pull cord alarm is not fully functional. | | |
| • The alarm was out of reach (higher than 10cm (4") from floor) wher | ı surveyed. | |
| • There is not a flashing fire alarm beacon within the toilet. | | |
| Disposal facilities are available in the toilet. | | |
| There is a/are general domestic waste disposal units. | | |
| • There is not a/are not coat hook(s). | | |
| Position of Fixtures | Cc | ollapse |
| • There is a/are wall-mounted grab rail(s) available. | | |
| As you face the toilet the wall-mounted grab rail(s) is/are on both | sides. | |
| There is a vertical wall-mounted grab rail on the transfer side. | | |
| • There is a horizontal wall-mounted grab rail on the opposite side of | f the seat to the transfer space. | |
| • There is a mirror. | | |
| • The mirror is not placed at a lower level or at an angle for ease of | use. | |
| • There is not a shelf next to the toilet. | | |
| • The toilet has a backrest and a cistern. | | |

- The height of the toilet seat above floor level is 48cm (1ft 7in).
- There is a toilet roll holder.
- The toilet roll holder can be reached from seated on the toilet.
- The toilet roll holder is not placed higher than 100cm (3ft 3in).
- There is a wash basin.
- The wash basin cannot be reached from seated on the toilet.
- The wash basin is not placed higher than 74cm (2ft 5in).
- There is a vertical wall-mounted grab rail on the left hand side of the wash basin.
- The wash basin tap type is lever.
- There is a mixer tap.
- There is a soap dispenser.
- The soap dispenser cannot be reached from seated on the toilet.
- The height of the soap dispenser is 82cm.
- There is a towel dispenser.
- The towel dispenser can be reached from seated on the toilet.
- The towel dispenser is not placed higher than 100cm (3ft 3in).
- There is a hand dryer.